

MORRISON®

Established in the Hawkes Bay region of New Zealand during the 1930s, Morrison continues to be a leading manufacturer of lawnmowers.

Today Morrison offers a range of quality outdoor power equipment including lawnmowers, chainsaws, chipper shredders, edgers and brushcutters. Durable, hardworking and well-designed, the Morrison family of products offer a great combination of ease of use at an affordable price. Morrison products are known, loved and trusted by thousands across New Zealand.

Morrison tried and trusted by Kiwis since the 1930s.



RELIABLE PERFORMANCE

With international brand engines Briggs & Stratton and AL-KO, a leading power garden equipment brand in Germany. The Briggs & Stratton® engines feature the latest ReadyStart[™] and RapidStart[™] engines for easy starting. The AL-KO* branded engine features a cast iron sleeve and a high specification air filtration system, which means better engine protection and performance for a long working life.

*AL-KO specified engines as used on AL-KO mowers in Europe



ELECTRIC CHAINSAW

MOTOR

Powerful 2000 watt motor

CHAIN BAR SIZE CHAIN

16" (40cm) Oregon

FEATURES

- Heavy motor windings
- Automatic oiler
- · Tool-free chain tension adjustment
- · Hand adjustable bar nut
- · Safety chain brake



Morrison products carry a 24 month consumer warranty. With a wide product range that is durable, hardworking and well-designed, you can trust Morrison. A range of quality spares and accessories are available. Morrison recommends you use Masport/Morrison Oil and accessories available from your local Morrison agent.



MCS38 PETROL CHAINSAW

37.2cc

DISPLACEMENT

CHAIN BAR SIZE 16" (40cm) Oregon

CHAIN

FEATURES

CARBURETTOR Walbro

- · Clean air intake system Anti-vibration system
- · Chrome lined cylinder
- Electronic ignition
- · Safety chain brake



MCS45E PETROL CHAINSAW

CHAIN

DISPLACEMENT

CHAIN BAR SIZE

CARBURETTOR

FEATURES

Walbro

45cc

18" (45cm)

Oregon

- · Clean air intake system
- Anti-vibration system
- · Chrome lined cylinder
- Twin ring piston
- Easy start system
- Safety chain brake





CLASSIC 420

CUT, CATCH, REAR DISCHARGE

ENGINE Powered by Briggs & Stratton 125cc OHV Series

420mm (16.5") steel chassis

300 Primer 4 stroke engine

CHASSIS BLADE **SYSTEM**

SYSTEM

WHEELS

Bar Blade System

HANDLE · Comfortable upturned upper handle

> • Two piece lower handle for easy catcher access Front 150mm (6") and Rear 200mm (8") wheels

CATCHER Fabric Catcher



BOXER

CUT. CATCH. MULCH

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4

Stroke engine*

Cast iron sleeve in cylinder

CHASSIS 460mm (18") steel chassis

BLADE SYSTEM

Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE **SYSTEM**

· Comfortable upturned upper handle · Reinforced lower handle for added strength

WHEELS

Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER





SURECUT

CUT, CATCH, MULCH

ENGINE Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine

CHASSIS

460mm (18") steel chassis

BLADE Unique twin blade system with a swingback **SYSTEM** feature to protect the crankshaft from damage if the mower should strike a solid object

adjustable dual bearing wheels

HANDLE **SYSTEM WHEELS** · Comfortable upturned upper handle · Reinforced lower handle for added strength

Front 200mm (8") and Rear 200mm (8")

CATCHER

HDPE Plastic Catcher

ROCKET CUT, CATCH, MULCH

ENGINE

Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine

CHASSIS

BLADE **SYSTEM**

Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE **SYSTEM**

WHEELS

· Comfortable upturned upper handle · Reinforced lower handle for added strength

Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

CATCHER

HDPE Plastic Catcher

460mm (18") steel chassis



TITAN

CUT. CATCH. MULCH

ENGINE Powered by Briggs & Stratton 150cc OHV Series

625EXi ReadyStart™ 4 stroke engine

CHASSIS 460mm (18") steel chassis

BLADE Unique twin blade system with a swingback **SYSTEM** feature to protect the crankshaft from damage if

the mower should strike a solid object

HANDLE **SYSTEM**

· Comfortable upturned upper handle · Reinforced lower handle for added strength

WHEELS

Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

CATCHER

HDPE Plastic Catcher



MAXIMUS

CUT, CATCH, MULCH

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4

Stroke engine*

Cast iron sleeve in cylinder

460mm (18") heavy duty aluminium non-rust

BLADE Unique twin blade system with a swingback **SYSTEM** feature to protect the crankshaft from damage if

the mower should strike a solid object

HANDLE SYSTEM WHEELS

CHASSIS

• Comfortable upturned upper handle · Reinforced lower handle for added strength

Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

BLADE

SYSTEM

WHEELS

CATCHER HDPE Plastic Catcher



ELITE

CUT, CATCH, MULCH

578765

CHASSIS

ENGINE Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine

BLADE Unique twin blade system with a swingback SYSTEM feature to protect the crankshaft from damage if

the mower should strike a solid object HANDLE Comfortable upturned upper handle

SYSTEM WHEELS

· Reinforced lower handle for added strength

460mm (18") heavy duty aluminium non-rust

Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

CATCHER HDPE Plastic Catcher



Unique twin blade system with a swingback

the mower should strike a solid object

Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

feature to protect the crankshaft from damage if

*AL-KO specified engine as used on AL-KO mowers in Europe



BOXER SP

CUT, CATCH, MULCH, SELF-PROPELLED

578753

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4

Stroke engine*

Cast iron sleeve in cylinder

CHASSIS 460mm (18") steel chassis

BLADE Unique twin blade system with a swingback **SYSTEM** feature to protect the crankshaft from damage if

the mower should strike a solid object

HANDLE SYSTEM

CATCHER

· Comfortable upturned upper handle · Reinforced lower handle for added strength

WHEELS Front 175mm (7") and Rear 200mm (8")

HDPE Plastic Catcher

adjustable dual bearing wheels



HAND MOWER 400

CHASSIS Steel Chassis **CUT WIDTH** 400mm (16")

CUT HEIGHT 17mm - 43mm cutting height Strong one piece upper handle

HANDLE **SYSTEM**

CATCHER

Lightweight plastic catcher that is easy to

disengage



TYPHOON UTILITY 460

SIDE DISCHARGE

572821 **ENGINE**

Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine

CHASSIS

BLADE SYSTEM Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE **SYSTEM**

WHEELS

 Flat handle Reinforced lower handle for added strength

Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels

460mm (18") heavy duty steel chassis



552943

ENGINE

A robust 30cc two stroke engine

FEATURES • Portability - freedom from power cords

• Blow material away or vacuum it up - with EZI

Switch it just takes a few seconds

• A clip and zip design is provided for removing and emptying the bag

 Collected material is automatically shredded reducing waste volumes by up to 90%

Carry strap is included for easy manoeuvring



PETROL BLOWER

ENGINE

26cc engine delivers ample power

WEIGHT **FEATURES** 3.9kg lightweight and easy to use

· High tolerance engine crafted with precision engine bearings

· High capacity blowing power



ELECTRIC BLOWER VAC

ENGINE Powerful 2400 watt, variable speed engine that delivers 180km/h of blowing power

WEIGHT BAG

Lightweight and easy to use Large capacity 40 litre bag

FEATURES

- Easy action lever to switch from blower to vac
- · Collected material is automatically shredded reducing waste volumes by up to 90%
- Carry strap is included for easy manoeuvring





LINE TRIMMER

552873

ENGINE 25cc engine

CUT WIDTH 430mm (17") HANDLE

Loop handle

- **FEATURES** Anti-vibration system
 - Centrifugal clutch included for operator safety
 - Flexi steel drive shaft
 - Bump feed line trimmer head
 - Single point harness and fuel container included



BC260 SST SPLIT SHAFT LINE TRIMMER

552553

ENGINE

Semi-pro full crankshaft 25.4cc engine

CUT WIDTH 415mm (16")

HANDLE Loop handle with safety bar

SHAFT FEATURES • Anti-vibration system

Alloy 2 piece split shaft

- Bump feed line trimmer head and 3 tooth grass blade included
- · Centrifugal clutch included for operator safety
- · Solid steel 2 piece drive shaft
- An easy start system
- Double strap shoulder harness included
- *SST Split Shaft Technology allows you to convert this single linetrimmer into a versatile pole pruner, hedge trimmer, edger or even a garden cultivator. Attachments sold separately.



BC - EDGER ATTACHMENT

Used with BC260 SST as an Edger

• 65mm cutting depth



BC - GARDEN CULTIVATOR ATTACHMENT

Used with BC260 SST as a Garden Cultivator

- 300mm (12") cutting width
- 80mm (3") tilling depth



BC-POLE PRUNING ATTACHMENT

Used with BC260 SST as a Pole Pruner

• 250mm (10") bar size



BC430 STRAIGHT SHAFT BRUSHCUTTER

552832

ENGINE Semi-pro full crankshaft 42.7cc engine

CUT WIDTH 440mm (17")

HANDLE Bullbar handle with intergrated controls

SHAFT

Straight long reach alloy shaft

FEATURES • Anti-vibration system

- Bump feed line trimmer head and 3 tooth grass
- · Centrifugal clutch included for operator safety

8

- Solid steel drive shaft
- Dual ring pistons
- Full harness and fuel container included



BC-HEDGE TRIMMER ATTACHMENT

Used with BC260 SST as a Hedge Trimmer

- 500mm (20") blade length
- Double reciprocating blades
- 720mm shaft length



BC-1M POLE EXTENSION

Used to extend the reach of BC260 SST attachments

- · Straight alloy shaft and solid spline steel drive shaft
- 1 metre extension pole

9





HEDGE TRIMMER

552837

ENGINE Semi-pro, lightweight (5.8kg) high performance motor delivers 26cc of power

CUT BAR 600mm (24")

CUT DIAMETER 28mm cutting diameter means you can get

the job done quickly **FEATURES**

Precision engine bearings

• Full crank shaft

• 180 degree rotating handle for easy manoeuvring into difficult spaces



ELECTRIC EDGER

MOTOR 1200 watt. 240V electric motor

CUT DIAMETER 190mm (7 1/2")

CUT DEPTH

Cutting depth can range from 25mm (1"), 31mm (1 1/4 ") or 38mm (1 1/2 ")

TILLER

ENGINE

Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine

TILLING WIDTH

FEATURES

280mm (11") tilling width (outside tines removed) 430mm (17") tilling width (standard)

- Easy to manoeuvre due to its counterbalanced design
- Robust construction
- · Optional Accessory Kit Aerator, Lawn Edger and Cleaning Brush



2400 ELECTRIC QUIET SHREDDER

MOTOR Reversible motor for easy waste discharge

BLADE

Boasts Morrison's adjustable chopping system that is easy to adjust for improved performance

- **FEATURES** This super quiet auto feed mulcher shredder shreds up to 40mm
 - · Safety switches and overload protection

MORRISON®

Established in the Hawkes Bay region of New Zealand during the 1930s, Morrison continues to be a leading manufacturer of lawnmowers.

Today Morrison offers a range of quality outdoor power equipment including lawnmowers, chainsaws, chipper shredders, edgers and brushcutters. Durable, hardworking and well-designed, the Morrison family of products offer a great combination of ease of use at an affordable price. Morrison products are known, loved and trusted by thousands across New Zealand.

Morrison tried and trusted by Kiwis since the 1930s.



24 MONTH WARRANTY

Morrison products carry a 24 month consumer warranty. With a wide product range that is durable, hardworking and well-designed, you can trust Morrison. A range of quality spares and accessories are available. Morrison recommends you use Masport/Morrison Oil and accessories - available from your local Morrison agent.



Warranty and Disclaimer Info:

All Morrison products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Morrison Outdoor Garden Range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Morrison is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport/Morrison products are covered by the following design registrations: 405399, 407916, 407917, 411355, 411354, 417631, 418171, 407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792, and patents: 330634, 589942/590235, 570911, 605098, 605114.

Masport Limited New Zealand

PO Box 14 349, Panmure, Auckland 1741, New Zealand P: 0800 4MORRISON F: 0508 570 570

> E: sales@morrisonoutdoor.co.nz W: www.morrisonoutdoor.co.nz

> > Available from:

Tried and trusted by Kiwis since the 1930s



